

# Receiving Report

Date: 14/5/27

Batch No: m69887

Supplier: WETAUX ASIA

Dart P/O: 24263

Packing Slip: Yes ☒ No ☐  
 Invoice: Yes ☐ No ☒  
 Receipt: Cash ☐ Cr ☒  
 New Supplier Yes ☐ No ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☐ No ☒ N/A ☐  
 Shipment Complete: Yes ☒ No ☐ N/A ☐  
 QC18 Inspection 14/05/29 N/A ☒  
 Work Order                      N/A ☒

## Discrepancies

| Part Number | Description          | Quantity Ordered | Quantity Rec'd | Quantity Short | Quantity Inspected | Quantity Rejected | Comment / NCR Number |
|-------------|----------------------|------------------|----------------|----------------|--------------------|-------------------|----------------------|
| m7076       | T6 B0.125 X 075 ~ 12 | 12               | 12             | 0              | 12                 |                   |                      |
|             |                      |                  |                |                |                    |                   |                      |
|             |                      |                  |                |                |                    |                   |                      |

Initials of Receiver QC12 

Production/Admin:                       
 Date                       
 Received/Costing                       
 Initial                     

Location

# Purchase Order Receipt Listing

Page 1 of 1

Tuesday, May 27, 2014 3:14:40 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO24260 Receipt Dates from 5/27/2014 to 5/27/2014 All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

| Purchase Order ID/<br>Curr Type | Line Nbr/<br>Insp Req | Project ID | Reference/<br>Description/<br>Cert Std | PO U/M /<br>Stock U/M | Required Date<br>Required Qty | Recv Date/<br>Recv Emp | Recv Qty<br>(PO U/M) | Cost Per Unit/<br>Recv Value | Inspected Qty/<br>Rejected Qty<br>(PO U/M) | MRB Qty/<br>MRB Reject Qty | Book Amt |
|---------------------------------|-----------------------|------------|--|-----------------------|-------------------------------|------------------------|----------------------|------------------------------|--|----------------------------|----------|
| VendorID/Vendor Name            |                       |            | VC-MET001                              | Metaux Castle         |                               |                        |                      |                              |  |                            |          |
| PO24260                         | 1                     |            | M304B0.750X2.500 f                     |                       | 5/30/2014                     | 5/27/2014              | 25.3330              | \$23.95                      | 0.0000                                     | 0                          | \$606.74 |
| CAD                             | No                    |            | 304 BAR .750 X 2.50 f                  |                       | 24.0000                       | DESJ02                 |                      | \$606.74                     | 0.0000                                     | 0                          |          |
|                                 |                       |            | m129287                                |                       |                               |                        |                      |                              |  |                            |          |
| Total Received Quantity:        |                       |            |  |                       |                               |                        |                      |                              |  |                            | 25.3330  |
| Total Qty to Inspect (PO U/M):  |                       |            |  |                       |                               |                        |                      |                              |  |                            | 0.0000   |
| Total Reject Quantity:          |                       |            |  |                       |                               |                        |                      |                              |  |                            | 0.0000   |
| Total Receipt Value:            |                       |            |  |                       |                               |                        |                      |                              |  |                            | \$606.74 |
| Total Balance Due Quantity:     |                       |            |  |                       |                               |                        |                      |                              |  |                            | 0.0000   |

**Castle Metals®**

A. M. Castle &amp; Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:2177407

|  |                         |  |  |   |  |  |  |
|--|-------------------------|--|--|---|--|--|--|
| <b>Ship From:</b><br>A. M. Castle & Co.<br>MONTREAL - CASTLE<br>METALS<br>835-SELKIRK AVENUE<br>POINTE CLAIRE, QUEBEC<br>H9R 3S2 |                         | <b>Sold To:</b><br>DART AEROSPACE LTD<br>1270 ABERDEEN<br>HAWKESBURY, ON K6A 1K7<br>CA |  | <b>Ship To:</b><br>DART AEROSPACE LTD<br>1270 ABERDEEN<br>HAWKESBURY, ON K6A<br>1K7 CAN |  | <b>Deliver To:</b><br>DART AEROSPACE LTD<br>1270 ABERDEEN<br>HAWKESBURY, ON<br>K6A 1K7<br>CA |  |
| <b>Date Shipped</b><br>26-MAY-2014   | <b>F.O.B.</b><br>ORIGIN | <b>Freight Terms</b><br>Prepaid  |  | <b>Carrier</b><br>MANITOULIN  |  | <b>BOL No</b><br>2177407-2   |  |

|                         |                                       |
|-------------------------|---------------------------------------|
| <b>Shipment Details</b> | <b>Final Destination Branch - MON</b> |
|-------------------------|---------------------------------------|

|                            |                              |   |  |                         |                      |                           |                              |
|----------------------------|------------------------------|---|--|-------------------------|----------------------|---------------------------|------------------------------|
| Order No<br>3371839        | Line No<br>1                 | Item No<br>5062   | Description<br>0.7500.2.5000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156<br>.0000<br>SPECIFICATIONS: ASTM A276 |                         |                      |                           |                              |
| Purchase Order No<br>24260 |                              | Part Number   |  | Ordered Qty<br>24.00 FT |                      | Invoice Qty<br>25.3333 FT |                              |
| Details                    |                              | ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY<br>ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S<br>FORWARD COPY OF P/S TO TRACY ( MONTREAL )<br>Email P/s and certs to: clavoie@dartaero.com<br>END USER: DART AEROSPACE<br>END USE: COMMERCIAL AIRCRAFT PARTS<br><i>OK 14/05/29</i> |  |                         |                      |                           |                              |
| Delivery No.<br>119648055  | Mill<br>VALBRUNA CORPORATION | Heat Number<br>  | Mech Id  | PCS<br>2                | Width (IN)<br>1.0000 | Length (IN)<br>152.0000   | Shipped Qty(LBS)<br>161.5000 |

These commodities/technologies are subject to US Export Administration &amp; US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle &amp; Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.  
Date Printed: 26-MAY-2014 01:39:52 PM

# Acciaierie Valbruna S.p.A.



QUALITY MANAGEMENT SYSTEM  
CERTIFIED BY LLOYD'S REGISTER

## CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004) , 3.1

38100 VICENZA (Italia) - Viale della scienza, 25 z.l.

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Client  
VALBRUNA STAINLESS INC.  
2400 TAYLOR STREET WEST  
46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.  
Hersteller/Item/Usine productio

Stato di fornitura: Descaled Annealed Hot rolled  
Lieferzustand/Delivery state/Etat de livraison

Sono state soddisfatte tutte le condizioni richieste  
Die gestellten Anforderungen sind lt. Anlage erfüllt  
The material has been furnished in accordance with the requirements  
Le matériel a été trouvé conforme aux exigences

Controllo antimiscelanza: OK  
Verwechslungsprüfung: spektroskopisch durchgeführt  
Antimixing testing performed: OK  
Contrôle antimélange fait: r.o.s.

Certificato nr: MEST267513/2012/  
Prüfung/Test/Essai

Conferma ordine nr: El12007220  
Verkauf/Our Order/Ref. nr.

Marchio di Fabbrica:  
Zeichen des Lieferwerkes  
Trade mark  
Sigle de l'usine productio



Punzone del Collaudatore:  
Stempel des Werksachverständigen  
Inspector's stamp/Plombon de l'essayeur



Controllo visivo e dimensionale: soddisfa le esigenze  
Besichtigung und Ausmessung: ohne Beanstandung  
Visual inspection and dimensional check: satisfactory  
Contrôle visuel et dimensionnel: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination  
We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive (97/23/EC) Annex 1, s., 4.3 by TUEV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/ or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Castle Metals FR

HEAT NUMBER 259028  
MECHANICAL ID \_\_\_\_\_  
ITEM CODE 5062  
LOT NUMBER \_\_\_\_\_  
PO NUMBER 226450  
RECEIPT DATE 5-28-13  
SUPPLIER VALBRUNA  
SPECIFICATION \_\_\_\_\_  
LCS ND  
COMMENT \_\_\_\_\_  
APPROVED PL

Vicenza, 08/11/12  
VQ0006  
(Mod. MCE2)

Il collaudatore di stabilimento / der Werksachverständige / Works inspector / L' agent d' usine  
M. Rizzotto

Pagina - 2 di 2

# Acciaierie Valbruna S.p.A.



QUALITY MANAGEMENT SYSTEM  
CERTIFIED BY LLOYD'S REGISTER

## CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004), 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.  
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Bassteller/Purchaser/Client  
VALBRUNA STAINLESS INC.  
2400 TAYLOR STREET WEST  
46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.  
Hersteller/Item/Usine producteur

Avviso di Spedizione: D-VI12032363  
Lieferanzelge/Packing list/B.L.

Ordine nr: 34002 STOCK CAROL STR  
Bestell/Your order/Commande

Tipo di Elaborazione: E+AOD  
Erschmelzungsart/Melting process/Mode d'elaboration

Certificato nr: MEST267513/2012/  
Prüfung/Test/Essai

Conferma ordine nr: E112007220  
Werks/Our Order/Ref nr.

Marchio di Fabbrica:  
Zeichen des Werksechverständigen  
Trade mark  
Sigle de l'usine producteur

Punzone del Collaudatore:  
Stempel des Werksechverständigen  
Inspector's stamp/Pointon de l'assesseur



Stato di fornitura: Descalaed Annealed Hot rolled  
Lieferzustand/Delivery state/Etat de livraison

Specifiche:  
Anforderungen / Requirements / Exigences

VSI 0 304/304L A  
AMS 5647 J S30403 A  
ASME SA193 2010 B8 CLASS1 (1)  
ASME SA479 2010 S30400/03 A (4)  
ASTM A262 2010 PRACTICE E  
ASTM A320 2011A B8 CLASS1  
ASTM A479 2011 S30400/03 A  
NACE MR0175 2009 S30400/03 A (7)

AISI 304/304L  
AMS QQ-S-763 B 304/304L A  
ASME SA276 2010 S30400/03 A (2)  
ASTM A182 2011A S30400/03 A (5)  
ASTM A276 2010 S30400/03 A  
ASTM A370 2012  
MIL-S-862 B/1 304/304L  
QQ-S-763 F 304/304L A

AMS 5639 H S30400 A  
ASME SA182 2010 S30400/03 A (0)  
ASME SA320 2010 B8 CLASS1 (3)  
ASTM A193 2011A B8 CLASS1  
ASTM A314 2008 S30400/03  
ASTM A473 2001 S30400/03 (6)  
NACE MR0103 2007 S30400/03 A

- (0) SEC.II PT.A 2010 EDITION ADD. 2011a  
(1) SEC.II PT.A 2010 EDITION ADD. 2011a  
(2) SEC.II PT.A 2010 EDITION ADD. 2011a  
(3) For products machined directly from bar refer to ASTM A479.  
(4) ANSI/NACE MR0175/ISO 15156-3, second edition 2009-10-15

- (0) For products machined directly from bar refer to ASME SA479.  
(2) SEC.II PT.A 2010 EDITION ADD. 2011a  
(4) SEC.II PT.A 2010 EDITION ADD. 2011a  
(5) Chemical analysis only.  
(7) Technical circular 1:2011 Published 2011-08-14

Qualità: 304/304L  
Werkstoff/Grade/Qualité

Marca: AISL  
Markenbezeichnung  
Brand/Usine

Tolleranza: ASTM A484-11  
Toleranz./Allowance/Tolérance

Punzonatura: 304/304L  
Kennzeichnung/Marking/Marque

| Pos. nr.<br>Pos. nr.<br>Item nr.<br>Nr. de poste | Oggetto<br>Gegenstand<br>Product description<br>Descript. du produit | Dimensioni - In<br>Abmessungen<br>Dimension<br>Dimension | Lunghezza - In<br>Länge<br>Length<br>Longueur | Colata<br>Schmelze<br>Heat<br>Coulée | Pezzi<br>Stückzahl<br>Pieces<br>Pièces | Peso - LB<br>Gewicht<br>Weight<br>Poids | Lotto nr.<br>Losnr.<br>Lot nr.<br>Lot nr. |
|--|--|--|---|--------------------------------------|--|---|---|
| 0060   | Flat   | 2,5000 x 0,7500  | 144 / 154                                     | 259028                               |  | 2.381                                   | 209603720                                 |

TEST ALLO STATO DI FORNITURA  
Test on delivery condition Prüfung auf lieferbarem produkt test a l'état de fourniture Prueba sobre el material así como entregado

| TEST   | Provetta/Probent<br>Spezimen/Probent<br>Larg. diam. Spec.<br>Größe Diam. Dicke<br>Wdh. Diam. Thickness<br>Larg. diam. épaisseur<br>mm | °F         | Posiz.<br>Saggio<br>Probenlage<br>Lage<br>Emplacement<br>1) | Snervamento<br>Bruchgrenze<br>Yield Stress<br>Limite élastique<br>Rp 0,2%<br>k.s.l. | Snervamento<br>Bruchgrenze<br>Yield Stress<br>Limite élastique<br>k.s.l. | Resistenza<br>Zugfestigkeit<br>Tensile strength<br>Résistance à traction<br>Rm<br>k.s.l. | Allungamento<br>Bruchdehnung<br>Elongation<br>Allongement<br>E 4d<br>% | Strizione<br>Bruchdehnung<br>Reduction of area<br>Bricion<br>RA<br>% | Resilienza<br>Kerbschlagarbeit<br>Impact Value<br>Resilience | Durezza<br>Härte<br>Hardness<br>Dureté<br>HB |
|--|---|------------|---|---|--|--|--|--|--|--|
| Valori richiesti 1<br>Anforderungen/Required values<br>Valeurs demandées |   | min<br>max |   | 30  | -  | 75<br>115  | 40   | 50   | -  | 140<br>235                                   |
| A  | 12,5  | 68         | L   | 47  |  | 89   | 52   | 70   |  | 187  |

| TEST                       | min | max |
|----------------------------|-----|-----|
| A Grain size for ASTM E112 |     | 5   |

Mechanical properties according to ASTM A370.

1) L=longitudinale/Länge, T=transversale/quer, Q=Tangenziale/tangentiel

## Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

| Colata Heat<br>Schmelze/Coulée | min<br>max | 0,030 | 1,00 | 2,00  | 18,00<br>20,00 | 1,00 | 1,00 | 8,00<br>10,50 | 0,040 | 0,020<br>0,030 | 0,100 | - | - | - | - |
|--------------------------------|------------|-------|------|-------|----------------|------|------|---------------|-------|----------------|-------|---|---|---|---|
|                                | C %        | Si %  | Mn % | Cr %  | Mo %           | Cu % | Ni % | Co %          | P %   | S %            | N %   |   |   |   |   |
| 259028                         | 0,016      | 0,45  | 1,77 | 18,29 | 0,38           | 0,40 | 8,02 | 0,123         | 0,033 | 0,026          | 0,092 |   |   |   |   |

Produced without class I-II Ozone depleting substances.  
Solution heat treated free from continuous carbide network.  
Annealing temperature: 1940°F for 1 h/water.  
Micro and macro etch test: OK  
Intergranular corrosion test per ASTM A262 pract. E: ok.  
Material is DFARS Compliant

|  |  |                 |
|--|--|-----------------|
| Vicenza, 08/11/12<br>VCQ008<br>(Mod. MCE2) | Il collaudatore di stabilimento / der Werkssachverständiger / Works inspector / L'agent d'usine<br>M. Rizzotto | Pagina - 1 di 2 |
|--|--|-----------------|



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO24260**

Purchase Order Date 5/20/2014

PO Print Date 5/20/2014

Page Number 1 of 2

Order From : VC-MET001  
METAUX CASTLE  
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720  
P.O. BOX 4090 STN A  
TORONTO, ON M5W OE9  
CA

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**FAKED**  
C/L 1/05/21

|                 |                |                |                      |
|-----------------|----------------|----------------|----------------------|
| Contact Name    |                | Buyer          | Chantal Lavoie       |
| Vendor Phone    | 514 694 9575   | Customer POID  |                      |
|                 |                | Customer Tax # | 10127-2607           |
| Ship To Contact |                | Terms          | Net 10               |
| Ship To Phone   |                | Currency       | CAD                  |
| Ship Via:       | VENDOR'S TRUCK | FOB            | FCA - (Free Carrier) |
| Ship Acct:      |                |                |                      |

| Line Nbr | Reference Vendor Part Number<br>Line Comments<br>Delivery Comments | Description/<br>Mfg ID | Req Date/<br>Taxable<br>Promise Date | CD | Req Qty/<br>Unit of<br>Measure | PO Unit Price | Extended Price |
|----------|--|------------------------|--------------------------------------|----|--------------------------------|---------------|----------------|
|----------|--|------------------------|--------------------------------------|----|--------------------------------|---------------|----------------|

|   |                  |                     |                               |  |            |         |          |
|---|------------------|---------------------|-------------------------------|--|------------|---------|----------|
| 1 | M304B0.750X2.500 | 304 BAR .750 X 2.50 | 5/30/2014<br>Yes<br>5/30/2014 |  | 24.00<br>f | \$26.25 | \$630.00 |
|---|------------------|---------------------|-------------------------------|--|------------|---------|----------|

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE  
AS PER ASTM A276 OR ASTM A240

NOTE: AISI 303 NOT ACCEPTABLE

Line Total: \$630.00

|   |                     |                             |                             |  |            |         |          |
|---|---------------------|-----------------------------|-----------------------------|--|------------|---------|----------|
| 2 | M7075T6B0.125X0.750 | 7075-T6 BAR 0.125" X 0.750" | 6/5/2014<br>Yes<br>6/5/2014 |  | 12.00<br>f | \$21.00 | \$252.00 |
|---|---------------------|-----------------------------|-----------------------------|--|------------|---------|----------|

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR PER AMS-QQA-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR FROM PLATE QQ-A-250/12

Line Total: \$252.00

Note:

5/20/2014



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO24260**

Purchase Order Date 5/20/2014

PO Print Date 5/20/2014

Page Number 2 of 2

Order From : VC-MET001  
METAUX CASTLE  
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720  
P.O. BOX 4090 STN A  
TORONTO, ON M5W OE9  
CA

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone 514 694 9575

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms

Net 10

Currency

CAD

FOB

FCA - (Free Carrier)

|   |          |                                |           |      |        |        |
|---|----------|--------------------------------|-----------|------|--------|--------|
| 3 | 71401-45 | PROCUREMENT<br>QUALITY CLAUSES | 5/30/2014 | 1.00 | \$0.00 | \$0.00 |
|---|----------|--------------------------------|-----------|------|--------|--------|

No

Procurement Quality Clauses

5/30/2014

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality document

Line Total: \$0.00

PO Total: \$882.00

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 2

Change Date: 5/20/2014

## Chantal Lavoie

---

**From:** Desbiens, Marc <mdesbien@amcastle.com>  
**Sent:** Wednesday, May 14, 2014 4:40 PM  
**To:** Chantal Lavoie  
**Subject:** RE: quote

Hi Chantal,

price and delivery on material.

7075-t6 bar 0.125" x 0.750" x 12 ft can be cut from plate ams-qq-250/12

offer cut from sheet 3 pcs 48" Long  
\$ 84.00 pce 2 weeks

Thanks

This E-mail may contain proprietary information and may be confidential. You are to treat this material in accordance with your company's confidentiality policies and limit any distribution accordingly.

If you are not the intended recipient of this E-mail, you are hereby notified that any dissemination, distribution or copying of this message is strictly prohibited. If you received this message in error, please delete it immediately.



## Chantal Lavoie

---

**From:** Lamoureux, Jessica J. <Jessica.Lamoureux@ryerson.com>  
**Sent:** Thursday, May 15, 2014 11:51 AM  
**To:** Chantal Lavoie  
**Cc:** Hnatyshin, Bruce E.  
**Subject:** RE: QUOTE

Hi Chantal,

Here is what we can offer from plate :

0.75" thick x 0.500" (0.125" wide is too thin) x 144" long,  
Or I will have to source out a bar as is... no stk in bars...

If this works for you, please let me know how many pcs you will need,

Have a good day ☺

Jessica

---

**De :** Chantal Lavoie [<mailto:clavoie@dartaero.com>]

**Envoyé :** 15 mai 2014 08:15

**À :** Lamoureux, Jessica J.

**Objet :** QUOTE

Hi Jessica,

Please advise price and delivery on material.

7075-t6 bar 0.125" x 0.750" x 12 ft can be cut from plate ams-qq-250/12

Thanks  
Chantal

• **Chantal Lavoie**

---

**From:** Desbiens, Marc <mdesbien@amcastle.com>  
**Sent:** Friday, May 16, 2014 3:55 PM  
**To:** Chantal Lavoie  
**Subject:** RE: quote

Hi Chantal,

\$ 26.25 Ft 6-7 days

Thanks

---

**From:** Chantal Lavoie [<mailto:clavoie@dartaero.com>]  
**Sent:** Friday, May 16, 2014 9:25 AM  
**To:** Desbiens, Marc  
**Subject:** quote

Hi Marc,  
Please advise price and delivery on material, already have 12 ft on order but need 24 ft more.  
304 bar .750" x 2.50" x 24 ft.  
Thanks  
Chantal

This E-mail may contain proprietary information and may be confidential. You are to treat this material in accordance with your company's confidentiality policies and limit any distribution accordingly.

If you are not the intended recipient of this E-mail, you are hereby notified that any dissemination, distribution or copying of this message is strictly prohibited. If you received this message in error, please delete it immediately.